

The 1998 Kaiser Family Foundation/ *Glamour*  
**Survey of Men and  
Women on Sexually  
Transmitted Diseases**

*Questionnaire and Toplines*

**August 1998**

---

**The 1998 Kaiser Family Foundation/*Glamour*  
Survey of Men and Women on Sexually Transmitted Diseases**

**TOPLINES**

**INTRODUCTION:** Hello, my name is \_\_\_\_\_ calling for Princeton Survey Research of

**Methodology**

*The 1998 Kaiser Family Foundation/Glamour Survey of Men and Women on Sexually Transmitted Diseases* was conducted for the Kaiser Family Foundation and *Glamour* by Princeton Survey Research Associates (PSRA). The questionnaire was designed by staff at the Foundation, *Glamour*, and PSRA and reviewed by a group of leading national reproductive health experts. Interviews were conducted between March 12 and April 2, 1998 with 1,003 men and 500 women between the ages of 18-44 living in the continental United States. The margin of sampling error is plus or minus 3 percent for the total sample, plus or minus 3 percent for men, and plus or minus 5 percent for women. The margin of sampling error is much larger for other sub-samples, such as the small group of men and women in the survey who said they have had an STD.

1. First, I have some questions about some health issues facing this country today. As I read the following list please tell me whether you think each is one of the MOST important health issues facing this country, a very important issue, a somewhat important issue, or a not too important issue facing this country today . . .

	One of the Most Important <u>Issues</u>	Very <u>Important</u>	Somewhat <u>Important</u>	Not too <u>Important</u>	DK/ <u>Ref.</u>	
a.	AIDS, and HIV the virus that causes AIDS					
	Total	52	41	6	1	* =100
	Men	50	41	8	1	* =100
	Women	54	40	5	1	0 =100
b.	Sexually transmitted diseases other than AIDS					
	Total	25	50	22	3	* =100
	Men	25	47	25	3	* =100
	Women	25	53	19	3	* =100
c.	Smoking					
	Total	22	42	26	10	* =100
	Men	19	40	28	12	1 =100
	Women	24	44	24	8	0 =100
d.	Infertility					
	Total	5	17	43	33	2 =100
	Men	5	15	40	37	3 =100
	Women	5	20	45	29	1 =100
e.	Drunk driving					
	Total	37	49	12	2	* =100
	Men	34	46	16	3	1 =100
	Women	40	51	8	1	* =100

\* = Less than 1.0%

2. How much do you know about sexually transmitted diseases or “STDs,” which also used to be called V.D. or venereal disease? Would you say you know a lot about STDs, how they’re spread, and their health consequences, a fair amount, only a little, or nothing at all?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
36	31	40	A lot
48	52	45	A fair amount
14	16	13	Only a little
2	1	2	Nothing at all
*	*	0	Don’t know/Refused
100	100	100	

3. Can you tell me the names of any sexually transmitted diseases or STDs? What others can you name?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
68	66	70	Gonorrhea or Clap or Drip
53	52	54	Syphilis
45	44	47	Genital herpes or herpes or herpes simplex virus or HSV
40	42	39	AIDS or HIV or human immunodeficiency virus
28	22	34	Chlamydia
11	8	13	Genital warts or warts or humanpapilloma virus or HPV
8	8	7	Hepatitis-B virus or HBV
6	7	4	Crabs
2	2	3	Trick or Trichomoniasis
1	1	2	Pelvic inflammatory disease or PID
1	1	1	Pubic lice
1	1	1	BV or bacterial vaginosis
1	1	1	Chancroid
1	*	1	Yeast Infections
*	*	1	Scabies
*	*	1	CMV or cytomegalovirus
1	1	2	Other
12	12	12	Don’t know/Refused

*Total exceeds 100% due to multiple responses*

READ: For the rest of the questions I'd like you to think ONLY about STDs OTHER than AIDS or HIV, that is things like Gonorrhea, Genital herpes, and Syphilis . . .

4. How much of a risk do you think you, personally, have of getting a sexually transmitted disease? Would you say you are at . . .

<u>Total</u>	<u>Men</u>	<u>Women</u>	
3	4	2	Great risk,
8	10	6	At moderate risk,
26	28	24	Not much of a risk, OR
63	58	68	No risk at all?
*	*	*	Don't know/Refused
<u>100</u>	<u>100</u>	<u>100</u>	

5. How many people in this country do you think will become infected with a sexually transmitted disease, other than HIV or AIDS, at some point in their lives . . .

<u>Total</u>	<u>Men</u>	<u>Women</u>	
8	10	6	About 1 person out of every 1000 people,
27	29	25	About 1 out of every 100,
37	35	38	About 1 out of every 10, OR
26	23	30	More than 1 out of every 10 people?
<u>2</u>	<u>3</u>	<u>1</u>	Don't know/Refused
100	100	100	

6. In general, when people have sexual intercourse is it more likely that a WOMAN would get a STD from an infected man, OR more likely that a MAN would get a STD from an infected woman, OR is the likelihood about the same?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
29	24	33	More likely for woman to get from a man
5	7	3	More likely for man to get from a woman
64	67	63	Likelihood about the same
*	*	*	Depends (VOL.)
<u>2</u>	<u>2</u>	<u>1</u>	Don't know/Refused
100	100	100	

7. In general, when do you think a person starts to put him or her self at SIGNIFICANT risk for contracting a STD? When a person has had, over his or her lifetime, 1 sexual partner, 2 partners, 3 to 6 partners, 7 to 10 partners, 11 to 20 partners, or more than 20 sexual partners?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
26	19	33	1
15	14	16	2
25	24	27	3-6
10	12	7	7-10
7	9	4	11-20
14	18	11	More than 20
1	1	1	Depends (VOL.)
<u>2</u>	<u>3</u>	<u>1</u>	Don't know/Refused
100	100	100	

8. Please tell me whether each of the following statements is true or false.

	<u>True</u>	<u>False</u>	<u>DK/</u>	<u>Ref.</u>
a. A person with a STD can spread the STD to a sexual partner EVEN if he or she has no symptoms				
Total	93	5	2	=100
Men	91	7	2	=100
Women	95	3	2	=100
b. Some people with an STD may not display symptoms for months or even years after being infected				
Total	94	4	2	=100
Men	94	4	2	=100
Women	94	4	2	=100
c. Having a sexually transmitted disease increases a person's risk of becoming infected with HIV or AIDS				
Total	57	36	7	=100
Men	55	39	6	=100
Women	58	33	9	=100
d. AIDS is the only STD that you have for life				
Total	9	89	2	=100
Men	10	88	2	=100
Women	8	90	2	=100

9. Do you know whether (INSERT) is curable or not, (by curable I mean it can be completely cured, not just that the symptoms can be controlled), or are you not sure whether it's curable?

	All non-HIV STDs are curable (from Q8)	Yes, Curable	Depends (VOL.)	No, Not Curable	Not Sure/ DK/ Ref.	
a. Chlamydia						
Total	9	32	*	8	51	=100
Men	10	27	*	9	54	=100
Women	8	38	*	7	47	=100
b. Genital herpes						
Total	9	10	*	63	18	=100
Men	10	10	*	61	19	=100
Women	8	9	0	66	17	=100
c. Gonorrhea						
Total	9	48	*	12	31	=100
Men	10	49	*	11	30	=100
Women	8	47	*	12	33	=100
d. Genital warts or HPV						
Total	9	21	*	30	40	=100
Men	10	20	0	28	42	=100
Women	8	23	*	31	38	=100

**READ:** Still thinking ONLY about STDs OTHER than AIDS or HIV

10. As far as you know, are there any long-term health problems a WOMAN might experience if she has had a sexually transmitted disease, or not?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
74	68	81	Yes, are some
7	7	6	No aren't any
<u>19</u>	<u>25</u>	<u>13</u>	Don't know/Refused
100	100	100	

11. Can you tell me what some of these long-term health problems are? Can you name any others?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
74	68	81	Yes, there are long-term problems
36	25	46	Infertility/sterility/difficulty getting pregnant
11	9	14	Increased risk of cervical cancer or other genital cancers
10	9	10	Pregnancy and birth-related complications
5	3	6	Pelvic inflammatory disease or PID
4	3	5	Blindness
4	3	4	Mental illness; Brain damage; Neurological damage
3	3	3	Death
3	2	4	Scarring (of reproductive organs)
2	2	3	Life-long recurrence of symptoms
2	2	3	Having the disease forever/Always having to take medication
1	1	1	Increased risk of HIV infection
7	6	8	Other
21	26	17	Can't name symptoms but know there are some/Don't know
*	*	*	Refused
7	7	6	No, there are no long-term problems
<u>19</u>	<u>25</u>	<u>13</u>	Don't know if there are any long term problems/Refused
100	100	100	

*Internal total exceeds 100% due to multiple responses*



12. And, as far as you know, are there any long-term health problems a MAN might experience if he has had a sexually transmitted disease, or not?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
61	61	60	Yes, are some
12	13	11	No aren't any
<u>27</u>	<u>26</u>	<u>29</u>	Don't know/Refused
100	100	100	

READ: Now I have some questions about getting tested for STDs. . .

13. In general, for men, do you think (INSERT) keeps a lot of MEN from getting tested for STDs, a fair number of men from getting tested, very few men, or it doesn't keep any men from getting tested for STDs?

	<u>A lot</u>	<u>A Fair Number</u>	<u>Very Few</u>	<u>None</u>	<u>DK/ Ref.</u>	
a. The fear of finding out they have a STD						
Total	40	34	19	4	3	=100
Men	36	34	23	5	2	=100
Women	43	35	16	3	3	=100
b. The feeling that they are not at risk for getting a STD						
Total	40	33	19	4	4	=100
Men	37	34	20	5	4	=100
Women	43	33	18	3	3	=100
c. The pain that may be associated with STD tests						
Total	19	26	33	15	7	=100
Men	15	26	37	16	6	=100
Women	22	27	30	14	7	=100

READ: Still thinking ONLY about STDs OTHER than AIDS or HIV

14. There are many ways people might feel about STDs. As I read the following list please tell me if you strongly agree with this statement, somewhat agree, somewhat disagree, or strongly disagree?		Strongly <u>Agree</u>	Somewhat <u>Agree</u>	Somewhat <u>Disagree</u>	Strongly <u>Disagree</u>	DK/ <u>Ref.</u>	
a.	People with STDs should NOT feel at all ashamed or guilty						
	Total	34	36	20	9	1	=100
	Men	34	36	19	10	1	=100
	Women	34	35	21	8	2	=100
b.	If I had a STD, I would be angry at the person who I got it from						
	Total	53	27	11	7	2	=100
	Men	45	29	13	11	2	=100
	Women	61	26	8	4	1	=100
c.	It is often more embarrassing for couples to talk about sexual issues, like STDs, than to have sex						
	Total	40	33	15	11	1	=100
	Men	38	35	13	13	1	=100
	Women	42	31	16	10	1	=100
d.	I would be uncomfortable talking with a doctor about getting an STD test						
	Total	11	20	20	49	*	=100
	Men	11	22	20	47	*	=100
	Women	10	18	20	51	1	=100
e.	I would be uncomfortable discussing STDs with a sexual partner						
	Total	13	24	18	44	1	=100
	Men	15	26	19	40	*	=100
	Women	12	21	18	48	1	=100
f.	If people had higher moral standards, the country wouldn't have such a problem with STDs today						
	Total	55	23	11	11	*	=100
	Men	53	24	11	11	1	=100
	Women	56	21	12	10	1	=100

READ: Still thinking ONLY about STDs OTHER than AIDS or HIV . . .

15. If a person has a STD, how much of a responsibility do you think this person has to tell their sexual partners -- a great deal of responsibility, a fair amount, not very much or no responsibility at all?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
97	96	97	A great deal
2	2	2	A fair amount
*	1	0	Not very much
1	1	1	No responsibility at all
*	*	*	Don't know/Refused
<u>100</u>	<u>100</u>	<u>100</u>	

16. What if the person with the STD makes sure that they and their partners ALWAYS use condoms? Does this person have a great deal of responsibility, a fair amount, not very much or no responsibility at all to tell their partners about the STD?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
89	87	90	A great deal
9	10	8	A fair amount
1	1	1	Not very much
1	1	1	No responsibility at all
*	<u>1</u>	*	Don't know/Refused
<u>100</u>	<u>100</u>	<u>100</u>	

17. What if the person ONLY has intercourse when they don't have any visible symptoms and the chances that their partners would contract the disease may be lower. Does the person have a great deal of responsibility, a fair amount, not very much or no responsibility at all to tell their partners about the STD?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
83	81	85	A great deal
10	11	9	A fair amount
3	3	2	Not very much
4	4	4	No responsibility at all
*	<u>1</u>	*	Don't know/Refused
<u>100</u>	<u>100</u>	<u>100</u>	

READ: Still thinking ONLY about STDs OTHER than AIDS or HIV

18. Just imagine for a moment that you began seeing someone new and they told you they had a STD. Would that make you less likely to continue that relationship, or wouldn't it affect your likelihood of continuing the relationship? IF LESS LIKELY: Would it make you a lot less likely to continue the relationship or somewhat less likely?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
45	44	47	A lot less likely
30	30	29	Somewhat less likely
17	18	16	No effect
5	5	5	It depends (VOL.)
<u>3</u>	<u>3</u>	<u>3</u>	Don't know/Refused
100	100	100	

19. Now, imagine you found out you had a STD, how do you think you would feel about telling (INSERT)? Would you feel . . .

	<u>Very</u> <u>Uncomfortable</u>	<u>Somewhat</u> <u>Uncomfortable</u>	<u>Not too</u> <u>Uncomfortable</u>	<u>Not at all</u> <u>Uncomfortable</u>	<u>DK/</u> <u>Ref.</u>
a. The sexual partner you had at the time					
Total	36	40	8	15	1 =100
Men	37	42	8	12	1 =100
Women	36	37	9	17	1 =100
b. Past sexual partners who may have been infected					
Total	41	37	8	13	1 =100
Men	39	39	9	12	1 =100
Women	43	35	8	12	2 =100
c. Family members, such as a parent, brother or sister					
Total	50	27	8	14	1 =100
Men	49	28	9	13	1 =100
Women	51	26	6	16	1 =100
d. Friends					
Total	45	34	10	10	1 =100
Men	46	34	9	10	1 =100
Women	43	33	11	11	2 =100

20. On a different topic, are you currently married, LIVING AS married, widowed, divorced, separated, or have you never been married?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
48	47	50	Married
6	5	7	Living as married
2	1	2	Widowed
10	8	12	Divorced
2	2	2	Separated
32	36	27	Never married
*	*	0	Gay (VOL.)
*	<u>1</u>	<u>*</u>	Don't know/Refused
100	100	100	

21. These next few questions are about your sexual health and behavior. Please keep in mind that all of your answers are private. First, have you had sexual intercourse within the last TWELVE months?

22. Have you ever had sexual intercourse?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
93	94	92	Have had intercourse
82	84	80	In last 12 months
11	10	12	Not in last 12 months
5	4	6	Never had intercourse
<u>2</u>	<u>2</u>	<u>2</u>	Don't know/Refused
100	100	100	

23. Are you currently involved in a sexual relationship?

*Based on those (who have had intercourse and) are not currently married or living as married; n=607*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
51	56	46	Yes
48	44	53	No
<u>1</u>	<u>*</u>	<u>1</u>	Don't know/Refused
100	100	100	

## CURRENT RELATIONSHIP STATUS (Based on Q20, Q21, Q22, Q23)

<u>Total</u>	<u>Men</u>	<u>Women</u>	
54	53	56	Married/Living as married
21	24	17	Currently in sexual relationship
19	18	20	Not currently in sexual relationships (but have had sex)
*	*	*	Current relationship status unknown (but have had sex)
<u>6</u>	<u>5</u>	<u>7</u>	Never had intercourse/Don't know/Refused
100	100	100	

24. MEN: Is your current sexual partner pregnant or trying to become pregnant?  
WOMEN: Are you currently pregnant or trying to get pregnant?

***Based on those (have had intercourse and) are currently married/living as married or currently in a relationship; n=1116***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
10	10	10	Yes
90	89	90	No
*	*	0	Gay (VOL.)
<u>*</u>	<u>1</u>	<u>0</u>	Don't know/Refused
100	100	100	

25. The last time you had sexual intercourse did you use a condom?

***Based on those who have had intercourse; n=1406***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
29	31	26	Yes
70	69	73	No
<u>1</u>	<u>*</u>	<u>1</u>	Don't know/Refused
100	100	100	

26. In general, when you have sexual intercourse, how often do you use condoms? Would you say...

*Based on those who have had intercourse; n=1406*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
19	20	18	All of the time,
13	14	12	Most of the time,
16	18	15	Only sometimes, or
51	48	54	Never?
<u>1</u>	<u>*</u>	<u>1</u>	Don't know/Refused
100	100	100	

READ: Still thinking ONLY about STDs OTHER than AIDS or HIV

27. (Have you and your current sexual partner ever had/Did you and your most recent sexual partner ever have) a conversation about your risk of infecting each other with a sexually transmitted disease?

28. Have you EVER had a conversation with a sexual partner about your risk of infecting each other with a sexually transmitted disease?

*Based on those who have had intercourse; n=1406*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
64	64	64	Yes, ever
53	51	56	Current partner
11	13	8	Not with current partner
36	36	35	No, never
<u>*</u>	<u>*</u>	<u>1</u>	Don't know/Refused
100	100	100	

29. The last time you had a conversation like this, who first brought up this topic, you or your partner?

*Based on those who (have had intercourse and) have had a conversation with a partner about the risk of infecting each other with a sexually transmitted disease; n=904*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
55	43	67	Respondent
22	32	12	Partner
11	13	8	Both/Neither (VOL.)
<u>12</u>	<u>12</u>	<u>13</u>	Don't know/Refused
100	100	100	

30. And, the last time you had a conversation like this did this conversation take place before or after the FIRST time you had sexual intercourse with this person?

*Based on those who (have had intercourse and) have had a conversation with a partner about the risk of infecting each other with a sexually transmitted disease; n=904*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
55	51	58	Before
42	46	39	After
<u>3</u>	<u>3</u>	<u>3</u>	Don't know/Refused
100	100	100	

31. Have you ever discussed STDs with a health care provider like a doctor, nurse or clinic counselor?

*Based on those who have had intercourse; n=1406*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
50	44	57	Yes
49	56	42	No
<u>1</u>	<u>*</u>	<u>1</u>	Don't know/Refused
100	100	100	



32. As far as you remember, the last time you had a conversation like this did you bring up this subject or did the health care provider bring it up?

***Based on those who (have had intercourse and) have discussed STDs with a health professional; n=678***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
51	57	47	Respondent
43	36	48	Health care provider
3	3	2	Both/Neither (VOL.)
<u>3</u>	<u>4</u>	<u>3</u>	Don't know/Refused
100	100	100	

READ: This next question is about HIV or AIDS . . .

33. In the last 12 months, have you been tested for HIV, the virus that causes AIDS?
34. Have you EVER been tested for HIV?

***Based on those who have had intercourse; n=1406***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
59	59	59	Yes, have been tested <sup>1</sup>
31	31	32	In last 12 months
28	28	27	Not in last 12 months
40	41	39	No, never tested
<u>1</u>	<u>*</u>	<u>2</u>	Don't know /Refused
100	100	100	

---

<sup>1</sup> Includes those who said they got tested as part of donating blood.

35. And, in the last 12 months, have you been tested for any sexually transmitted diseases OTHER than HIV or AIDS?
36. Have you EVER been tested for any sexually transmitted diseases OTHER than HIV or AIDS?

***Based on those who have had intercourse; n=1406***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
44	37	51	Yes
21	14	28	In last 12 months
23	23	23	Not in last 12 months
55	61	48	No
<u>1</u>	<u>2</u>	<u>1</u>	Don't know/Refused
100	100	100	

37. What STDs, OTHER than HIV or AIDS, have you been tested for? (IF NECESSARY ADD: Do you know the names of any of the STDs you've been tested for?)

***Based on those (who have had intercourse and ) have been tested for STDs other than HIV/AIDS; n=585***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
25	26	25	Can't name any specific STDs -- just know tested for some
24	23	25	All of them
26	26	25	Gonorrhea, clap or drip
18	10	24	Chlamydia
16	18	14	Syphilis
10	10	10	Genital herpes or herpes or herpes simplex virus or HSV
4	6	3	Hepatitis-B virus or HBV
4	4	4	Genital warts or humanpapilloma virus or HPV
2	1	4	Trick or Trichomoniasis
1	1	1	CMV or cytomegalovirus
1	*	1	Pubic lice
*	1	0	Scabies
*	*	0	Chancroid
*	*	0	BV or bacterial vaginosis
2	2	2	Other
4	5	3	Refused

***Total exceeds 100% due to multiple responses***

38. Thinking about the most recent time you were tested for STDs other than AIDS or HIV, what was the MAIN reason you got tested? Was it because . . .

***Based on those (who have had intercourse and ) have been tested for STDs other than HIV/AIDS; n=585***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
13	22	7	You had symptoms,
5	9	2	A sexual partner at the time told you (he/she) had one,
8	3	11	You were seeing a health care provider for something else and he or she noticed a problem,
53	42	61	It was part of your routine care,
3	*	4	Because of pregnancy (VOL.)
3	5	2	Marriage license test (VOL.)
14	18	11	Was there some other reason?
<u>1</u>	<u>1</u>	<u>2</u>	Don't know/Refused
100	100	100	

39. And, where did you get tested? Was it at . . .

***Based on those (who have had intercourse and) have been tested for STDs other than HIV/AIDS; n=585***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
67	57	75	A doctor's office where you usually go for health care,
10	6	13	A family planning clinic like Planned Parenthood,
6	12	2	A public STD clinic,
6	9	3	A school clinic or health center,
7	11	5	A hospital (VOL.)
3	5	1	Someplace else?
<u>1</u>	<u>0</u>	<u>1</u>	Don't know/Refused
100	100	100	

READ: Thinking again ONLY about STDs OTHER than AIDS or HIV

40. Have you ever had a STD?

***Based on those who have had intercourse; n=1406***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
14	14	14	Yes
86	86	86	No
*	*	*	Don't know/Refused
100	100	100	

41. How do you know you have never had a STD? Is the MAIN reason because. . .

***Based on those (who have had intercourse and) who say they have never had an STD; n=1205***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
29	38	20	You haven't had any symptoms,
27	22	33	You have been tested,
13	14	12	None of your sexual partners have ever had a STD,
22	17	26	Your health care provider never mentioned anything wrong,
3	4	3	Monogamous/Have only had one partner (VOL.)
4	3	4	Is there some other reason?
1	1	1	I'm not really sure I don't have one (VOL.)
<u>1</u>	<u>1</u>	<u>1</u>	Don't know/Refused
100	100	100	

42. (Does your/Did your most recent) sexual partner have a STD?

***Based on those (who have had intercourse and) who say they have never had an STD; n=1205***

<u>Total</u>	<u>Men</u>	<u>Women</u>	
1	1	1	Yes
97	96	98	No
<u>2</u>	<u>3</u>	<u>1</u>	Don't know/Refused
100	100	100	

43. What STDs have you had or do you have now?

*Based on those (who have had intercourse and) who say they have had an STD; n=193*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
23	14	33	Chlamydia
18	27	9	Gonorrhea
14	8	19	Genital warts or humanpapilloma virus or HPV
10	11	9	Genital herpes or herpes or herpes simplex virus or HSV
6	1	11	Trick or Trichomoniasis
3	5	2	Pubic lice
2	4	0	Syphilis
1	2	0	Chancroid
1	1	1	Hepatitis-B virus or HBV
1	2	0	Scabies
1	2	0	CMV or cytomegalovirus
0	0	0	BV or bacterial vaginosis
0	0	0	HIV/AIDS
5	8	2	Other
15	14	16	Don't know/Refused

*Total exceeds 100% due to multiple responses*

44. (Thinking about your most recent experience with a STD,) Once you suspected you had a STD how long was it before you saw a health care provider? Was it . . .

*Based on those (who have had intercourse and) who say they have had an STD; n=193*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
73	80	67	Almost immediately -- that is as soon as you could see someone,
14	13	14	Within a few weeks,
5	3	7	Within a few months, OR
3	0	6	Longer than that?
2	3	0	Haven't ever seen a health professional (VOL.)
<u>3</u>	<u>1</u>	<u>6</u>	Don't know/Refused
100	100	100	

45. (Does your current/Did your most recent) sexual partner have a STD?

*Based on those (who have had intercourse and) who say they have had an STD; n=193*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
6	5	7	Yes
92	94	90	No
<u>2</u>	<u>1</u>	<u>3</u>	Don't know/Refused
100	100	100	

46. Some people who have had or currently have STDs always tell their sexual partners about it, others sometimes don't because they don't feel it is necessary or they know how to keep their partner from being infected. (Does your current/Did your most recent) sexual partner know you have or have had a STD?

*Based on those (who have had intercourse and) who say they have had an STD; n=193*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
73	72	75	Yes
25	26	24	No
<u>2</u>	<u>2</u>	<u>1</u>	Don't know/Refused
100	100	100	

47. Did you tell your (current/most recent) partner about the STD before the first time you had sexual intercourse?

*Based on those (who have had intercourse and) who say they have had an STD and their current/most recent partner knows about the STD; n=142*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
42	39	45	Yes
54	59	49	No
<u>4</u>	<u>2</u>	<u>6</u>	Don't know/Refused
100	100	100	

48. In general, has having had this STD . . .

*Based on those (who have had intercourse and) who say they have had an STD; n=193*

	<u>Yes</u>	<u>No</u>	<u>DK/</u>	
			<u>Ref.</u>	
a. Made it harder to develop new romantic relationships				
Total	14	84	2	=100
Men	12	87	1	=100
Women	17	81	2	=100
b. Damaged your existing romantic relationships				
Total	8	90	2	=100
Men	7	92	1	=100
Women	9	89	2	=100
c. Affected your health				
Total	6	93	1	=100
Men	6	94	0	=100
Women	7	91	2	=100
d. Made you feel ashamed or embarrassed				
Total	50	49	1	=100
Men	41	59	0	=100
Women	60	39	1	=100

49. Do you know how or from whom you contracted (your most recent/this) STD?

*Based on those (who have had intercourse and) who say they have had an STD; n=193*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
71	77	65	Yes
28	22	34	No
<u>1</u>	<u>1</u>	<u>1</u>	Don't know/Refused
100	100	100	

READ: Now I have just a few more questions so we can learn more about the people who took part in our survey . . .

50. Since you become sexually active, about how many sexual partners have you had? Would you say more than twenty, eleven to twenty, seven to ten, three to six, two or one?

*Based on those who have had intercourse; n=1406*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
10	17	4	More than 20
13	18	8	11 to 20
16	17	14	7 to 10
28	25	30	3 to 6
12	8	17	Two
19	13	25	One
<u>2</u>	<u>2</u>	<u>2</u>	Don't know/Refused
100	100	100	

51. Have you ever dated and been involved sexually with more than one person during the same time period?

*Based on those who have had intercourse; n=1406*

<u>Total</u>	<u>Men</u>	<u>Women</u>	
21	31	12	Yes
78	68	88	No
<u>1</u>	<u>1</u>	<u>*</u>	Don't know/Refused
100	100	100	

#### D.1 RESPONDENT'S GENDER

50	Male
<u>50</u>	Female
100	



## D.2 What is your age?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
40	39	40	18-29
22	22	21	18-24
18	17	19	25-29
58	58	58	30-44
<u>2</u>	<u>3</u>	<u>2</u>	Refused
100	100	100	

## D.3 What is the LAST grade or class you completed in school?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
1	1	1	None, or grade 1 to 8
11	13	9	High school incomplete (Grades 9 - 11)
32	32	32	High school graduate (Grade 12), GED
4	4	4	Business, technical or vocational school after high school
27	26	29	Some college, no four-year degree
17	16	17	College graduate, four-year degree
7	7	8	Post-graduate or professional schooling, after college
<u>1</u>	<u>1</u>	<u>*</u>	Don't know/Refused
100	100	100	

## D.4 Are you, yourself, of Hispanic or Latino background, such as Mexican, Puerto Rican, Cuban, or some other Spanish background?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
9	10	9	Yes
90	89	91	No
<u>1</u>	<u>1</u>	<u>*</u>	Don't know/Refused
100	100	100	

D.5 What is your race?

(IF HISPANIC) Are you white Hispanic, black Hispanic, or some other race?

(ELSE) Are you white, black or African American, Asian or some other race?

<u>Total</u>	<u>Men</u>	<u>Women</u>	
82	83	81	White
12	10	14	Black
2	2	2	Asian
3	3	3	Other or mixed race
<u>1</u>	<u>2</u>	<u>*</u>	Don't know/Refused
100	100	100	

D.6 Last year, that is in 1997, what was your total family income from all sources, BEFORE taxes?  
Just stop me when I get to the right category.

<u>Total</u>	<u>Men</u>	<u>Women</u>	
6	5	7	Less than \$10,000
13	11	15	\$10,000 to under \$20,000
17	15	19	\$20,000 to under \$30,000
17	18	16	\$30,000 to under \$40,000
19	21	18	\$40,000 to under \$60,000
14	16	11	\$60,000 to under \$100,000
6	6	6	\$100,000 or more
<u>8</u>	<u>8</u>	<u>8</u>	Don't know/Refused
100	100	100	

READ: Thank you very much for taking the time to answer the questions on this survey. We really appreciate it. Have a nice day/evening.